

Polypropylene Cam Lever Couplings



Features:

- Stainless steel rings, arms & pins.
- Most complete line of polypropylene couplings available.
- Versatile — interchangeable with all types of cam lever couplers.
- Precision molded — insures a uniform and accurate fit.
- Durable — Polypropylene is glass filled for rugged strength and durability.
- Smooth operating — finger rings are designed for easy opening of cam levers.
- Complete series of 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 3" and 4" NPT thread.
- Operating conditions:
 - 3/8" thru 2" — 100 P.S.I. at 0°F; 125 P.S.I. at 70°F; 70 P.S.I. at 150°F.
 - 2-1/2", 3" & 4" Cap-50 P.S.I.; Couplings 75 P.S.I. max.
- Economical and superior in performance.
- Standard with EPDM gaskets. Buna "N", and FKM (viton type) also available.

WARNING: Couplings should not be disconnected under pressure or w/liquid in the line.



3 ARMS



A Male Adapter
Female Thread



B Female Coupler
Male Thread



C Female Coupler
Hose Barb



D Female Coupler
Female Thread



E Male Adapter
Hose Barb



F Male Adapter
Male Thread



PL Plug for
Female Coupler



CAP Cap for
Male Adapter

ITEM	1/4" *	3/8" *	1/2" *	3/4"	1"	1-1/4" **	1-1/2" X 1-1/4" ***	1-1/2"	2"	2-1/2"	3"	3" 3 ARMS	4" 3 ARMS
POLYPROPYLENE CAM LEVER COUPLINGS													
A	75A1/4	75A3/8	75A1/2	75A3/4	100A	125A	150125A	150A	200A		300A		400A
B			75B1/2	75B3/4	100B	125B	150125B	150B	200B		300B	303B	400B
C			050C	075C	100C	125C	150125C	150C	200C		300C	303C	400C
D		075D3/8	050D	075D	100D	125D	150125D	150D	200D		300D		400D
E			050E	075E	100E	125E	150125E	150E	200E		300E		400E
F			050F	075F	100F	125F	150125F	150F	200F		300F		400F
PL			75PL	75PL	100	100125PL	150PL	150PL	200PL	250PL	300PL		400PL
CAP			075CAP	075CAP	100125CAP	100125CAP	150CAP	150CAP	200CAP	250CAP	300CAP		400CAP (2 ARMS)

NOTE: *1/4", 3/8" and 1/2" series couplings interchange with 3/4" size couplings. Coupling ends are 3/4" size.
 **1-1/4" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
 ***1-1/2" x 1-1/4" couplings interchange with 1-1/2" size couplings. Coupling ends are 1-1/2" size.

CAM LEVER COUPLINGS

Polypropylene Cam Lever Couplings



PART NO	DESCRIPTION
1/2" POLY CAM LEVER COUPLINGS	
75A1/2	3/4" Male Adapter-1/2" Female Thread
75B1/2	3/4" Female Coupler-1/2" Male Thread
050C	3/4" Female Coupler-1/2" Hose Barb
050D	3/4" Female Coupler-1/2" Female Thread
050E	3/4" Male Adapter-1/2" Hose Barb
050F	3/4" Male Adapter-1/2" Male Thread
075CAP	3/4" Cap-Male Adapter
75PL	3/4" Plug-Female Coupler

PART NO	DESCRIPTION
3/4" x 1/4" POLY CAM LEVER COUPLINGS	
75A1/4	3/4" Male Adapter-1/4" Female Thread
75A3/8	3/8" Male Adapter-3/8" Female Thread

NOTE: 1/2" couplings interchange with 3/4" couplings.

PART NO	DESCRIPTION
1" POLY CAM LEVER COUPLINGS	
100A	1" Male Adapter-1" Female Thread
100B	1" Female Coupler-1" Male Thread
100C	1" Female Coupler-1" Hose Barb
100D	1" Female Coupler-1" Female Thread
100E	1" Male Adapter-1" Hose Barb
100F	1" Male Adapter-1" Male Thread
100125CAP	1" Cap-Male Adapter
100125PL	1" Plug-Female Coupler

PART NO	DESCRIPTION
1-1/2" x 1-1/4" POLY CAM LEVER COUPLINGS	
150125A	1-1/2" Male Adapter-1-1/4" Female Thread
150125B	1-1/2" Female Coupler-1-1/4" Male Thread
150125C	1-1/2" Female Coupler-1-1/4" Hose Barb
150125D	1-1/2" Female Coupler-1-1/4" Female Thread
150125E	1-1/2" Male Adapter-1-1/4" Hose Barb
150125F	1-1/2" Male Adapter-1-1/4" Male Thread
150CAP	1-1/2" Cap-Male Adapter
150PL	1-1/2" Plug-Female Coupler

NOTE: 1-1/2" x 1-1/4" couplings interchange with 1-1/2" size couplings. Coupling and Adapter ends are 1-1/2" size. Only the threads and barbs are 1-1/4".

PART NO	DESCRIPTION
3/4" POLY CAM LEVER COUPLINGS	
75A3/4	3/4" Male Adapter-3/4" Female Thread
75B3/4	3/4" Female Coupler-3/4" Male Thread
075C	3/4" Female Coupler-3/4" Hose Barb
075D	3/4" Female Coupler-3/4" Female Thread
075E	3/4" Male Adapter-3/4" Hose Barb
075F	3/4" Male Adapter-3/4" Male Thread
075CAP	3/4" Cap-Male Adapter
75PL	3/4" Plug-Female Coupler

PART NO	DESCRIPTION
3/4" x 3/8" POLY CAM LEVER COUPLINGS	
75A3/8	3/4" Male Adapter-3/8" Female Thread
075D3/8	3/4" Female Coupler-3/8" Female Thread

PART NO	DESCRIPTION
1" x 1-1/4" POLY CAM LEVER COUPLINGS	
125A	1" Male Adapter-1-1/4" Female Thread
125B	1" Female Coupler-1-1/4" Male Thread
125C	1" Female Coupler-1-1/4" Hose Barb
125D	1" Female Coupler-1-1/4" Female Thread
125E	1" Male Adapter-1-1/4" Hose Barb
125F	1" Male Adapter-1-1/4" Male Thread
100125CAP	1" Cap-Male Adapter
100125PL	1" Plug-Female Coupler

PART NO	DESCRIPTION
1-1/2" POLY CAM LEVER COUPLINGS	
150A	1-1/2" Male Adapter-1-1/2" Female Thread
150B	1-1/2" Female Coupler-1-1/2" Male Thread
150C	1-1/2" Female Coupler-1-1/2" Hose Barb
150D	1-1/2" Female Coupler-1-1/2" Female Thread
150E	1-1/2" Male Adapter-1-1/2" Hose Barb
150F	1-1/2" Male Adapter-1-1/2" Male Thread
150CAP	1-1/2" Cap-Male Adapter
100125PL	1-1/2" Plug-Female Coupler

CAM LEVER COUPLINGS

Polypropylene Cam Lever Couplings



CAM LEVER COUPLINGS

PART NO	DESCRIPTION
2" POLY CAM LEVER COUPLINGS	
200A	2" Male Adapter-2" Female Thread
200B	2" Female Coupler-2" Male Thread
201B	2" Female Coupler-2" Extended Male Thread
200C	2" Female Coupler-2" Hose Barb
200D	2" Female Coupler-2" Female Thread
200E	2" Male Adapter-2" Hose Barb
200F	2" Male Adapter-2" Male Thread
200CAP	2" Cap-Male Adapter
200PL	2" Plug-Female Coupler

PART NO	DESCRIPTION
2-1/2" POLY CAM LEVER COUPLINGS	
250CAP	2-1/2" Cap-Male Adapter
250PL	2-1/2" Plug-Female Coupler

PART NO	DESCRIPTION
3" POLY CAM LEVER COUPLINGS	
300A	3" Male Adapter-3" Female Thread
300B	3" Female Coupler-3" Male Thread
303B	3" Female Coupler-3" Extended Male Thread
300C	3" Female Coupler-3" Hose Barb
303C	3" Female Coupler w/3 Arms-3" Hose Barb
300D	3" Female Coupler-3" Female Thread
300E	3" Male Adapter-3" Hose Barb
300F	3" Male Adapter-3" Male Thread
300CAP	3" Cap-Male Adapter
300PL	3" Plug-Female Coupler



200FF

300F200F

300FF

PART NO	DESCRIPTION
SPOOL ADAPTERS	
200FF	2" Male Adapter-2" Male Adapter
300F200F	3" Male Adapter-2" Male Adapter
300FF	3" Male Adapter-3" Male Adapter

PART NO	DESCRIPTION
4" W/3 ARMS POLY CAM LEVER COUPLINGS	
400A	4" Male Adapter-4" Female Thread
400B	4" Female Coupler-4" Male Thread
400C	4" Female Coupler-4" Hose Barb
400D	4" Female Coupler-4" Female Thread
400E	4" Male Adapter-4" Hose Barb
400F	4" Male Adapter-4" Male Thread
400CAP	4" Cap-Male Adapter (w/2 arms)
400PL	4" Plug-Female Coupler

1-1/2" & 2" Polypropylene 90° Couplings



PART NO	DESCRIPTION
1-1/2" 90° POLY CAM LEVER COUPLINGS	
150A90	1-1/2" 90° Male Adapter-1-1/2" Female Thread
150C90	1-1/2" 90° Female Coupler-1-1/2" Hose Barb
150D90	1-1/2" 90° Female Coupler-1-1/2" Female Thread
150F90	1-1/2" 90° Male Adapter-1-1/2" Male Thread

PART NO	DESCRIPTION
2" 90° POLY CAM LEVER COUPLINGS	
200A90	2" 90° Male Adapter-2" Female Thread
200B90	2" 90° Female Coupler-2" Male Thread
200C90	2" 90° Female Coupler-2" Hose Barb
200D90	2" 90° Female Coupler-2" Female Thread
200F90	2" 90° Male Adapter-2" Male Thread

2" Polypropylene 45° Couplings

PART NO	DESCRIPTION
2" 45° POLY CAM LEVER COUPLINGS	
200F45	2" 45° Male Adapter-2" Male Thread



Locking Cam Lever Poly Couplings



PART NO	DESCRIPTION
POLY CAM LEVER COUPLINGS	
201B	2" Female Coupler-2" Extended Male Thread
303B	3" Female Coupler-3" Extended Male Thread
303C	3" Female Coupler w/3 Arms-3" Hose Barb
200150C	2" Female Coupler- 1-1/2" Hose Barb
303B200A	3" Female Coupler w/3 Arms-2" Male Adapter

WARNING: Couplings should not be disconnected under pressure or w/liquid in the line.

316 Stainless Steel Cam Lever Couplings



Features:

- Tough 316 stainless steel to insure durability.
- Chemical resistant to protect against corrosion.
- Precision-made, investment casting high quality process to assure uniformity & proper fit.
- 150 P.S.I. maximum operating pressure.
- Versatile to interchange with all types of cam lever couplings.
- Smooth operation makes connections quick & easy.
- Standard with Buna "N" gaskets. FKM (viton type) & EPDM available.

WARNING: Couplings should not be disconnected under pressure or w/liquid in the line.



A Male Adapter
Female Thread



B Female Coupler
Male Thread



C Female Coupler
Hose Barb



D Female Coupler
Female Thread



E Male Adapter
Hose Barb



F Male Adapter
Male Thread



PL Plug for
Female Coupler



CAP Cap for
Male Adapter

ITEM	DESCRIPTION	3/4" *	1"	1-1/2"	2"	3"	4"
316 STAINLESS STEEL CAM LEVER COUPLINGS							
A	Male Adapter-Female Thread	075ASS			200ASS		400ASS
B	Female Coupler- Male Thread	075BSS	100BSS		200BSS		
C	Female Coupler-Hose Barb	075CSS	100CSS		200CSS	300CSS	400CSS
D	Female Coupler-Female Thread	075DSS		150DSS	200DSS		
E	Male Adapter-Hose Barb	075ESS			200ESS		400ESS
F	Male Adapter-Male Thread	075FSS		150FSS	200FSS	300FSS	400FSS
PL	Plug for Female Coupler	075PL/SS	100PL/SS			300PL/SS	400PL/SS
CAP	Cap for Male Adapter				200CAP/SS		

CAM LEVER COUPLINGS

316 SS Cam Lever Couplings

PART NO	DESCRIPTION
STAINLESS STEEL CAM LEVER COUPLINGS	
075ASS	3/4" Male Adapter-3/4" Female Thread
075BSS	3/4" Female Coupler-3/4" Male Thread
075CSS	3/4" Female Coupler-3/4" Hose Barb
075DSS	3/4" Female Coupler-3/4" Female Thread
075ESS	3/4" Male Adapter-3/4" Hose Barb
075FSS	3/4" Male Adapter-3/4" Male Thread
075PL/SS	3/4" Plug-Female Coupler
100BSS	1" Female Coupler-1" Male Thread
100CSS	1" Female Coupler-1" Hose Barb
100PL/SS	1" Plug-Female Coupler
150DSS	1-1/2" Female Coupler-1-1/2" Female Thread
150FSS	1-1/2" Male Adapter-1-1/2" Male Thread
200ASS	2" Male Adapter-2" Female Thread
200BSS	2" Female Coupler-2" Male Thread
200CSS	2" Female Coupler-2" Hose Barb
200DSS	2" Female Coupler-2" Female Thread
200ESS	2" Male Adapter-2" Hose Barb
200FSS	2" Male Adapter-2" Male Thread
300CSS	3" Female Coupler-3" Hose Barb
300FSS	3" Male Adapter-3" Male Thread
300PL/SS	3" Plug-Female Coupler
400ASS	4" Male Adapter-4" Female Thread
400CSS	4" Female Coupler-4" Hose Barb
400ESS	4" Male Adapter-4" Hose Barb
400FSS	4" Male Adapter-4" Male Thread
400PL/SS	4" Plug-Female Coupler

**UPS
SAME DAY
SHIPPING**

Garden Hose Couplings

Features:

- Quick and simple way to connect and disconnect your garden hose.
- Easily connects hose to spigot, sprinkler, nozzle or other hose end accessories.
- Durable, rustproof polypropylene construction.
- Never have to use pliers to tighten to prevent leaks.
- Yellow fiberglass reinforced polypropylene.
- Standard 3/4" opening diameter



GHFT075A



GHMT075B



GHFT075D



GHMT075F



GHFT075MPT



GHMT075FPT



GHMT075MPT

PART NO	DESCRIPTION
GARDEN HOSE FITTINGS	
GHFT075A	3/4" Adapter x 3/4" Female Thread
GHMT075B	3/4" Coupler x 3/4" Male Thread
GHFT075D	3/4" Coupler x 3/4" Female Thread
GHMT075F	3/4" Adapter x 3/4" Male Thread
GHFT075MPT	3/4" Male NPT x 3/4" Female Thread
GHMT075FPT	3/4" Female NPT x 3/4" Male Thread
GHMT075MPT	3/4" Male NPT x 3/4" Male Thread

CAM LEVER COUPLINGS

Aluminum and Hard Coat Aluminum Couplings



**A Male Adapter
Female Thread
(HC)**



**B Female Coupler
Male Thread
(HC)**



**C Female Coupler
Hose Barb
(AL)**



**D Female Coupler
Female Thread
(AL)**



**E Male Adapter
Hose Barb
(HC)**



**F Male Adapter
Male Thread
(HC)**



**V Dust Cap for
Male Adapter
(AL)**



**W Dust Cap for
Female Adapter
(AL)**

-AL for Aluminum

-HC for Hard Coat Aluminum

ITEM	1/2"	3/4"	1 **	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CAM LEVER COUPLINGS									
A	050-A-HC	075-A-HC	10-A-HC	12-A-HC	15-A-HC	20-A-HC	25-A-HC	30-A-HC	40-A-HC
B		075-B-HC	10-B-HC	12-B-HC	15-B-HC	20-B-HC	25-B-HC	30-B-HC	40-B-HC
C	050-C-HC	075-C-HC	10-C-HC	12-C-HC	15-C-HC	20-C-HC	25-C-HC	30-C-HC	40-C-HC
D		075-D-HC	10-D-HC	12-D-HC	15-D-HC	20-D-HC	25-D-HC	30-D-HC	40-D-HC
E	050-E-HC	075-E-HC	10-E-HC	12-E-HC	15-E-HC	20-E-HC	25-E-HC	30-E-HC	40-E-HC
F		075-F-HC	10-F-HC	12-F-HC	15-F-HC	20-F-HC	25-F-HC	30-F-HC	40-F-HC
V		075-V-HC	10-V-HC	12-V-HC	15-V-HC	20-V-HC	25-V-HC	30-V-HC	40-V-HC
W		075-W-HC	10-W-HC	12-W-HC	15-W-HC	20-W-HC	25-W-HC	30-W-HC	40-W-HC

**VL-Coupler Dust Cap
w/Locking Cam Arms**



How to Order:
20-VL-HC



SA20x30-HC

PART NO	DESCRIPTION
SPOOL ADAPTERS	
SA20x20-HC	2" Male Adapter x 2" Male Adapter
SA20x30-HC	2" Male Adapter x 3" Male Adapter
SA30x30-HC	3" Male Adapter x 3" Male Adapter
SA30x40-HC	3" Male Adapter x 4" Male Adapter

Stainless Steel and Polypropylene Couplings



Stainless Steel Cam Lever Couplings



A Male Adapter
Female Thread



B Female Coupler
Male Thread



C Female Coupler
Hose Barb



D Female Coupler
Female Thread



E Male Adapter
Hose Barb



F Male Adapter
Male Thread



V Dust Cap for-
Male Coupler



W Dust Cap for
Female Adapter

ITEM	1-1/2"	2"	2-1/2"	3"
CAM LEVER COUPLINGS				
A	IMP150ASS	IMP200ASS		IMP300ASS
B	IMP150BSS	IMP200BSS		IMP300BSS
C	IMP150CSS	IMP200CSS		IMP300CSS
D	IMP150DSS	IMP200DSS		IMP300DSS
E	IMP150ESS	IMP200ESS		IMP300ESS
F	IMP150FSS	IMP200FSS	IMP250FSS	IMP300FSS
V	IMP150VSS			IMP300VSS
W	IMP150WSS	IMP200WSS		IMP300WSS

Stainless Steel Security Chain w/Hook

Features:

- Corrosion-resistant
- Material that provides high strength at high temperatures
- Harder than brass
- Ideal for use with salt water, waste water, and many chemicals; can also be used with hydraulic oil and coolants



S51

How to Order:

S51...8" chain w/hooks